## **Precinct Statement**

Adopted 24 September 2012, updated October 2013









#### **DESCRIPTION**

Precinct 53 is a small precinct in Hawthorn and Hawthorn East, south of Riversdale Road which contains Beaconsfield, Clive and Hastings Roads, Campbell Grove and a small part of Tooronga Road.

The precinct is dominated by mainly double-fronted, single storey brick and timber Victorian and Edwardian era dwellings. Californian Bungalows and other infill development are also dispersed throughout the precinct. More recent development mainly comprises second storey additions.

Lots are generally around 10 to 15m wide with houses generally set close together, often with side setbacks of 1m or less.

Front setbacks vary, with narrow setbacks of 5 to 7m and less than 5m common across the precinct. Rear lanes provide opportunity for rear vehicle access and car parking.

Most front fences are of a low to medium height and are of varying styles and materials. Most roofs are pitched with terracotta or slate tiles or corrugated iron. The high ceilings and large roof forms of many dwellings means that the scale of the precinct is higher than some other single storey areas.

Front gardens are generally of a medium size and are well maintained. Similarly, most dwellings have well landscaped rear gardens.

All streets have street trees, many of which are mature and provide a dense canopy over the street. This feature, along with the era and siting of dwellings creates a compact, yet leafy, established feel.



# **Design Guidelines**

#### **KEY CHARACTERISTICS**

- Victorian and Edwardian dwellings;
- Mainly single storey dwellings, sometimes with second storey additions;
- · Brick and timber facades;

- Pitched roofs;
- Moderate lot frontages;
- Medium front setbacks:
- Narrow side setbacks;

- Landscaped front gardens;
- · Well vegetated rear gardens; and
- · Low to medium high front fencing.

#### PREFERRED CHARACTER STATEMENT

To ensure development integrates with the precinct's historic character and single storey scale and enhances the area's leafy feel.

This will be achieved by:

- Encouraging the retention of large trees and landscaped gardens;
- Ensuring sufficient space is retained in front and rear gardens to accommodate large trees;
- Ensuring buildings are sufficiently setback from front and side boundaries to retain the existing streetscape rhythm;
- Ensuring new developments and additions respect the predominant scale and building forms of the streetscape;
- Ensuring car parking structures do not dominate the streetscape;
- Maximising soft landscaping and minimising areas of hard surfaces; and
- Encouraging low or open style front fences.

#### THREATS/ISSUES

- Buildings that appear bulky and 'box' like;
- Dominant new dwellings and upper level extensions;
- Lack of soft landscaping / vegetation;
- Car parking structures in front setbacks that obscure views of the dwelling behind;
- Period reproduction building design;
- High front fences that disrupt the rhythm of the street; and
- Removal / loss of large trees.



## **Design Guidelines**

#### TABLE OF ELEMENTS

CHARACTER
ELEMENT

#### **OBJECTIVE**

#### DESIGN RESPONSE

#### **AVOID**

#### **ILLUSTRATION**

#### **VEGETATION**

- To maintain and enhance the landscaped setting of dwellings.
- Ensure front gardens incorporate soft landscaping that complements the streetscape.
- Ensure the retention of large trees.
- Removal of large trees.
- Front gardens dominated by hard surfaces
- Loss of front gardens.



Encourage landscaped gardens

#### **SITING**

- To maintain and enhance the existing consistent streetscape rhythm.
- To maintain the existing backyard character and enhance the area's leafy feel.
- Ensure buildings are setback no less than the average distance of the front setback of the adjoining properties on either side or 9m, whichever is less.
- Ensure side setbacks reflect the prevailing streetscape spacing.
- Ensure buildings are sufficiently setback from rear boundaries to maintain the open, backyard character of the immediate area where this exists.
- Provide a secluded private open space area with a minimum dimension of 4m to enable the planting and retention of large trees.
- Ensure new development on a corner site is adequately set back to provide a transition between the adjoining buildings.

- Dwellings set too far forward.
- Dwellings built to or close to their rear boundary with other residential properties.



Front setbacks



Siting on corner sites

#### BUILDING HEIGHT AND FORM

- To maintain the predominantly single storey scale and pitched roof character of the precinct.
- To ensure buildings do not dominate the streetscape or disrupt the existing streetscape rhythm.
- Ensure new buildings do not exceed the prevailing height of buildings in the streetscape when viewed from the street.
- Ensure upper level additions to existing dwellings are setback behind the roof line of the main dwelling to minimise their visibility and appear as a recessive element.
- Ensure visible roof forms integrate with the pitched roofs in the street.
- Ensure attached side by side development is designed to read as one dwelling within the streetscape.

- Large bulky buildings or extensions that dominate the streetscape.
- Curved roofs.
- Symmetrical presentation of side by side townhouses.



Maintain single storey



Integrate with pitched roofs



Avoid symmetrical design



# **Design Guidelines**

CHARACTER ELEMENT	OBJECTIVE	DESIGN RESPONSE	AVOID	ILLUSTRATION
BUILDING MATERIALS AND DESIGN DETAILS	<ul> <li>To ensure building materials and facade articulation integrates within the streetscape.</li> <li>To minimise period reproduction design.</li> </ul>	<ul> <li>Ensure materials, colours and facade articulation, including the size and spacing of windows, integrates with the streetscape.</li> <li>Ensure the use of contemporary design in preference to period reproduction styles.</li> <li>Break buildings into separate elements and use eaves, overhangs and other design details to articulate the facade.</li> </ul>	<ul> <li>Bland design such as sheer or plain rendered facades.</li> <li>Period reproduction design.</li> </ul>	Avoid bland design
FRONT BOUNDARY TREATMENT	To maintain the predominant low to medium front fence heights.	<ul> <li>Ensure front fences are no more than 1.5m or the average fence height of the four properties on either side (whichever is less).</li> <li>Front fences along declared main roads (RD1Z), such as Tooronga Road, may be up to 2m where this is consistent with the prevailing fence height on neighbouring properties.</li> </ul>	High solid front fences.	Avoid high front fences
CAR PARKING STRUCTURES	<ul> <li>To minimise the loss of front gardens and the dominance of car parking structures.</li> <li>To ensure basement garages do not increase the visual bulk of buildings.</li> </ul>	<ul> <li>Ensure car parking structures are located to the rear of dwellings where rear access is available.</li> <li>Ensure car parking structures, including entrances to basements, are setback at least 1m behind the dwelling facade and are designed to minimise their prominence.</li> <li>Ensure basements project no more than 0.5m above natural ground level, unless the finished floor level of abutting properties is greater than 0.5m.</li> <li>Where possible, locate the entry to basement garages to the side or rear of dwellings on they are not visible.</li> </ul>	<ul> <li>Driveways and car parking structures that dominate front setbacks or obscure views of the dwelling.</li> <li>Adjoining garage doors facing the street in side-by-side townhouses.</li> <li>Basement ramps that commence at the street frontage.</li> <li>Basement garages that result in buildings with a</li> </ul>	Location of car parking structures

of dwellings so they are not visible

from the street.



buildings with a

2.5 to 3 storey

site.

appearance from the street. Driveways, basements and ramps that cover the extent of the



### **General Information**

#### **ABOUT THE NEIGHBOURHOOD CHARACTER STUDY**

This Precinct Statement was completed in 2012. The methodology involved a review of the Residential Urban Character Study from 1996 as well as substantial community consultation and fieldwork. As a result of this review the City's residential areas have been divided into 75 precincts.

The common characteristics of each area in terms of building scale, setbacks, building style and form and the area's landscape character were taken into account when determining the boundaries of each precinct.

The resulting Neighbourhood Precinct Character Statements describe the existing character of each precinct as well as the precinct's preferred future character.

Those characteristics most valued by the community were reflected in the preferred character statements. The accompanying design guidelines table provides direction for new buildings which ensure future development assists in achieving the area's preferred character.

The Boroondara Neighbourhood Character Study is based on an analysis of existing neighbourhood character and does not take into account other planning policy objectives such as housing capacity, access to services and sustainability.

#### **HOW THE PRECINCT STATEMENTS WILL BE USED**

The Precinct Statements will be used when assessing planning permit applications in residential zones. In instances where no planning permit is required (e.g. for single dwellings on lots over 500m²), the Precinct Statements will be used when assessing report and consent applications to vary the siting requirements of the Building Regulations.

New development proposals will be assessed against the directions contained in the "objective", "design response" and "avoid" columns in the design guidelines Table of Elements. Proposals will need to demonstrate how they meet the objectives in the table if they do not meet the relevant "design response" or "avoid" criteria.

With the exception of the guidelines relating to rear garden character, the view from the street will be used to assess consistency with the design guidelines. Existing development that does not comply with the design guidelines should not be used as a precedent when designing new buildings or building extensions.

#### **RELATIONSHIP TO OTHER POLICIES AND GUIDELINES**

The Precinct Statements will be used in conjunction with other policies and guidelines in the Boroondara Planning Scheme.

Where a conflict occurs between the Precinct Statements and an existing Design and Development Overlay or Council's Heritage

Policy, the provisions of the Design and Development Overlay or Council's Heritage Policy will take precedence.



#### **CHARACTER ELEMENTS IN DESIGN GUIDELINES TABLE OF ELEMENTS**

- Building Height and Form refers to building height (as measured from natural ground level), roof form and the massing of building elements.
- Building Materials and Design Details

   refers to external building materials,
   façade articulation and design elements
   such as verandahs, awnings, window
   configurations and eaves.
- Car Parking Structures refers to the presence and location of on-site car parking structures such as garages, carports, driveways and uncovered car spaces.
- Front Boundary Treatment refers to the presence, height and style of front fences.
- Lot Frontage refers to the width of lots.
- Siting refers to front setbacks, side setbacks and the area's rear garden character.
- Vegetation refers to the trees and landscaping on the site.

#### **GENERAL TERMS**

- 'Box'-like refers to a building with proportions and detailing that give the building a box-like appearance. Typical characteristics include sheer two storey walls, no or narrow eaves, a symmetrical, un-articulated front facade and a low pitched or flat roof form with parapet detailing.
- Historic Buildings refers to early buildings that date from the establishment of the area or that are important to the area's history.
- Heritage Buildings refers to historic buildings that are subject to statutory protection through a Heritage Overlay or the Victorian Heritage Register.
- Period Reproduction Design refers to design that incorporates mock heritage detailing such as Mock-Georgian and Mock-French Provincial elements.

 Front Setback – The distance between the front property boundary and the dwelling, categorised as:

Small: 0 to 5 metresMedium: 5 to 9 metresLarge: 9+ metres

• Front Fence Height:

Low: 0.5 to 1.2m highMedium: 1.2m - 1.5m highHigh: over 1.5m high

Roof Forms

- Flat refers to a roof with a gradient of 10 degrees or less.
- Pitched refers to a roof with two slopes that meet at a central ridge.

#### • Multi-Unit Dwellings:

- Flats / Apartment Buildings refers to several dwellings contained in a multi-storey structure.
- Town Houses refers to dwellings of 2 or more storeys that have their own entrance and private yard, but which adjoin another dwelling.
- Villas refers to groups of dwellings which have their own entrance and private yard, which may or may not adjoin another dwelling, but which generally share common areas such as driveways and car parking.

#### **FURTHER INFORMATION**

Understanding Planning Terms Information Sheet, City of Boroondara, (search for this title at http://www.boroondara.vic.gov.au).

What house is that? A Guide to Victoria's Housing Styles, Heritage Victoria, (search for this title at http://www.dpcd.vic.gov.au/heritage).

ResCode provisions, Clause 54 and 55 of the Boroondara Planning Scheme at http://planningschemes.dpcd.vic.gov.au/boroondara/home.html .

